# SAFETY DATA SHEET

AUTOCOLOR

Date of issue/Date of revision

: 2 December 2024

**Version** : 1.06

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: AQUABASE PLUS COARSE SILVER DOLLAR AL.
Product code	: P998-8981/E1
Product type	: Liquid.
Other means of identification	: Not available.
	Ø4NH-W4D9-9006-CNQM
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Product use	: Industrial applications.
Use of the substance/	: Coating.

**Uses advised against** : Product is not intended, labelled or packaged for consumer use.

## 1.3 Details of the supplier of the safety data sheet

PPG Industries (UK) Ltd. Needham Road, Stowmarket, Suffolk, IP14 2AD, UK Tel: +44 (0) 1449 773 338 PPG Industries Italia S.r.l., Via Comasina, 121, 20161 Milano, Italy Tel: +39 02 6404.1

e-mail address of person : Product.Stewardship.EMEA@ppg.com responsible for this SDS

### 1.4 Emergency telephone number

### Supplier

mixture

- Company emergency telephone number : +44 (0) 1449 773 338 ( 0900-1600)

## **SECTION 2: Hazards identification**

<b>2.1 Classification of the</b>	substance or mixture
Product definition	• Mixture

Classification according to UK CLP/GHS

Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	1	No signal word.
Hazard statements	1	No known significant effects or critical hazards.
Precautionary statements		
Prevention	1	Not applicable.
Response	1	Not applicable.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
		P501
Supplemental label elements	:	Safety data sheet available on request.

C	Code	: P998-8981/E1	Date of issue/Date of revision	: 2 December 2024
F	QUABASE	PLUS COARSE SILVER DOLLAR AL.		

## **SECTION 2: Hazards identification**

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	<u>en</u>	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	:	None known.

## **SECTION 3: Composition/information on ingredients**

Product/ingredient name	Identifiers	%	Classification	Туре
2-butoxyethanol	REACH #: 01-2119475108-36 EC: 203-905-0 CAS: 111-76-2 Index: 603-014-00-0	≥5.0 - <10	Acute Tox. 4, H302 Acute Tox. 3, H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1] [2]
1-methoxy-2-propanol	REACH #: 01-2119457435-35 EC: 203-539-1 CAS: 107-98-2 Index: 603-064-00-3	≥1.0 - ≤5.0	Flam. Liq. 3, H226 STOT SE 3, H336	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. <u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

### SUB codes represent substances without registered CAS Numbers.

## **SECTION 4: First aid measures**

4.1 Description of firs	t aid measures
Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</li> </ul>
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

Conforms to Regulation (EC) N	1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758
Code : P998-8981/E1 AQUABASE PLUS COARSE	Date of issue/Date of revision         : 2 December 2024           VER DOLLAR AL.
SECTION 4: First aid	neasures
Ingestion	If swallowed, seek medical advice immediately and show the container or label. Kee person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.
4.2 Most important sympton	and effects, both acute and delayed
Potential acute health effect	
Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Over-exposure signs/symp	<u>ns</u>
Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	No specific data.
Ingestion	No specific data.
4.3 Indication of any immedi	medical attention and special treatment needed
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	No specific treatment.
<b>SECTION 5: Firefigh</b>	ig measures
5.1 Extinguishing media	
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
5.2 Special hazards arising f	n the substance or mixture
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	Decomposition products may include the following materials: carbon oxides metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident is there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to British standard BS EN 469 will provide a basic level of protection for chemical incidents.

Code	: P998-8981/E1	Date of issue/Date of revision	: 2 December 2024
AQUABASE	PLUS COARSE SILVER DOLLAR AL.		

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be stored in purpose-built containers or in metal containers with tight-fitting, self-closing lids. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

English (GB)

Code

: P998-8981/E1

Date of issue/Date of revision

: 2 December 2024

AQUABASE PLUS COARSE SILVER DOLLAR AL.

## **SECTION 7: Handling and storage**

See Section 1.2 for Identified uses.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
2-butoxyethanol	EH40/2005 WELs (United Kingdom (UK), 1/2020) Absorbed through skin. STEL 15 minutes: 50 ppm. TWA 8 hours: 25 ppm.
1-methoxy-2-propanol	STEL 15 minutes: 246 mg/m <sup>3</sup> . TWA 8 hours: 123 mg/m <sup>3</sup> . EH40/2005 WELs (United Kingdom (UK), 1/2020) Absorbed through skin.
	STEL 15 minutes: 560 mg/m <sup>3</sup> . STEL 15 minutes: 150 ppm. TWA 8 hours: 375 mg/m <sup>3</sup> . TWA 8 hours: 100 ppm.

### **Biological exposure indices**

Product/ingredient name	Exposure indices
2-butoxyethanol	EH40/2005 BMGVs (United Kingdom (UK), 8/2018) BGV: 240 mmol/mol creatinine, butoxyacetic acid [in urine]. Sampling time: post shift.
	should be made to monitoring standards, such as the following: British S EN 689 (Workplace atmospheres - Guidance for the assessment of

Standard BS EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) British Standard BS EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) British Standard BS EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
2-butoxyethanol	DNEL	Long term Oral	6.3 mg/kg bw/day	General population	Systemic
	DNEL	Short term Oral	26.7 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	59 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Inhalation	98 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Short term Inhalation	147 mg/m <sup>3</sup>	General population	Local
	DNEL	Short term Inhalation	246 mg/m <sup>3</sup>	Workers	Local
	DNEL	Short term Inhalation	426 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Short term Inhalation	1091 mg/m <sup>3</sup>	Workers	Systemic
1-methoxy-2-propanol	DNEL	Long term Oral	33 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	43.9 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Dermal	78 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	183 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	369 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Short term Inhalation	553.5 mg/m <sup>3</sup>	Workers	Local
	DNEL	Short term Inhalation	553.5 mg/m <sup>3</sup>	Workers	Systemic

#### **PNECs**

Code : P998-8981/E1

AQUABASE PLUS COARSE SILVER DOLLAR AL.

Date of issue/Date of revision : 2 December 2024

## SECTION 8: Exposure controls/personal protection

Product/ingredient name	Compartment Detail	Value	Method Detail
2-butoxyethanol 1-methoxy-2-propanol	Fresh water Marine water Fresh water sediment Marine water sediment Soil Sewage Treatment Plant Fresh water Marine water Sewage Treatment Plant Fresh water sediment Marine water sediment	10 mg/l 1 mg/l 100 mg/l 41.6 mg/kg 4.17 mg/kg	Assessment Factors Assessment Factors Equilibrium Partitioning Equilibrium Partitioning Equilibrium Partitioning Assessment Factors Assessment Factors Assessment Factors Assessment Factors Equilibrium Partitioning Equilibrium Partitioning
	Soil	2.47 mg/kg	Equilibrium Partitioning

8.2 Exposure controls Appropriate engineering	: Good general ventilation should be sufficient to control worker exposure to airborne
controls	contaminants.
Individual protection measured	<u>res</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection <u>Skin protection</u>	: Safety glasses with side shields.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Gloves	: For prolonged or repeated handling, use the following type of gloves:
	Recommended: butyl rubber
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN140. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Mask type: full-face mask half-face mask Filter type: organic vapour filter (Type A) particulate filter P3 Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

- Code :
  - : P998-8981/E1
- Date of issue/Date of revision

: 2 December 2024

AQUABASE PLUS COARSE SILVER DOLLAR AL.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

.1 Information on basic phys	sical and cl	nemical pr	roperties			
<u>Appearance</u>						
Physical state	: Liqu	id.				
Colour	: Colo	ourless.				
Odour	: Fain	t odour.				
Odour threshold	: Not	available.				
Melting point/freezing point	:					
Initial boiling point and boiling range	: >37.	.78°C (>10	00°F)			
Flammability (solid, gas)	: liqui	d				
Upper/lower flammability or explosive limits	: Not	available.				
Flash point	: Clos	ed cup: 10	00°C (212°F) [	Product does no	t sustain coml	oustion.]
Auto-ignition temperature	:					
Ingredient name		°C	익	=	Method	
2-butoxyethanol		230	44	16	DIN 51794	
pH	: 8				•	
Viscosity Solubility(ies)	Kine	ematic (roo		: Not available. e): Not available s		
Media		esult				
cold water		rtially solu	ble			
Miscible with water Partition coefficient: n-octar water	: Yes. nol/ : Not					
Vapour pressure	:					
· · ·	Va	pour Pres	sure at 20°C		Vapour pres	ssure at 50°C
Ingredient name	mm Hg	kPa	Method	mm H	y kPa	Method
water	17.5	2.3				
Relative density	: 1.03	- I	+		I	
Explosive properties			self is not explo with air is pos		mation of an e	explosible mixture o
Oxidising properties Particle characteristics	: Proc	duct does r	not present an	oxidizing hazaro	1.	
Median particle size	: Not	applicable				

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

• • • •	
Code : P998-8981/E1 AQUABASE PLUS COARSE	
SECTION 10: Stabilit	y and reactivity
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
	Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-butoxyethanol	LC50 Inhalation Vapour	Rat	3 mg/l	4 hours
_	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	1200 mg/kg	-
1-methoxy-2-propanol	LC50 Inhalation Vapour	Rat	>7000 ppm	6 hours
	LD50 Dermal	Rabbit	13 g/kg	-
	LD50 Oral	Rat	5.2 g/kg	-

**Conclusion/Summary** : There are no data available on the mixture itself. <u>Acute toxicity estimates</u>

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
AQUABASE PLUS COARSE SILVER DOLLAR AL.	15172.4	N/A	323035.7	36.8	N/A
2-butoxyethanol	1200	N/A	N/A	3	N/A
1-methoxy-2-propanol	5200	13000	N/A	N/A	N/A

## Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-butoxyethanol	Eyes - Irritant Skin - Moderate irritant	Rabbit Rabbit	-	24 hours 4 hours	21 days 28 days
Conclusion/Summary	: Not available.		•	·	
Skin	: There are no data available on	the mixture its	elf.		
Eyes	: There are no data available on	the mixture its	elf.		
Respiratory	: There are no data available on	the mixture its	elf.		
Sensitisation					
Conclusion/Summary					
Skin	: There are no data available on	the mixture its	elf.		
Respiratory	: There are no data available on	the mixture its	elf.		
Mutagenicity					
<b>Conclusion/Summary</b>	: There are no data available on	the mixture its	elf.		
<b>Carcinogenicity</b>					
Conclusion/Summary	: There are no data available on	the mixture its	elf.		
Reproductive toxicity					
Conclusion/Summary	: There are no data available or	the mixture its	elf.		
Teratogenicity					
<b>Conclusion/Summary</b>	: There are no data available on	the mixture its	elf.		
Specific target organ toxicity (single exposure)					

Code	: P998-8981/E1	Date of issue/Date of revision	: 2 December 2024
AQUABASE	E PLUS COARSE SILVER DOLLAR AL.		

## **SECTION 11: Toxicological information**

Product/ing	red	ient name	Category	Route of exposure	Target organs
1-methoxy-2-propanol			Category 3	-	Narcotic effects
Specific target organ toxici	ty (	repeated exposure)			-
Not available.					
Aspiration hazard					
Not available.					
nformation on likely routes f exposure	:	Not available.			
otential acute health effects	2				
Eye contact	:	No known significant effect	s or critical hazards		
Inhalation	:	No known significant effect	s or critical hazards		
Skin contact	:	No known significant effect	s or critical hazards		
Ingestion	;	No known significant effect	s or critical hazards		
symptoms related to the phy	vsic	al, chemical and toxicolog	<u>ical characteristic</u>	<u>:S</u>	
Eye contact	:	No specific data.			
Inhalation	:	No specific data.			
Skin contact	1	No specific data.			
Ingestion	:	No specific data.			
elayed and immediate effect	:ts	as well as chronic effects	from short and lor	ng-term exposur	<u>e</u>
<u>Short term exposure</u>					
Potential immediate effects	1	Not available.			
Potential delayed effects	:	Not available.			
Long term exposure					
Potential immediate effects	:	Not available.			
	÷.,	Not available.			
Potential delayed effects	12				
Potential delayed effects Potential chronic health effects		<u>s</u>			
		<u>s</u>			
Potential chronic health eff	ect	s Not available.			
Potential chronic health effe	ect	_	s or critical hazards		
Potential chronic health effe Not available. Conclusion/Summary	ect : :	Not available.			
Potential chronic health effe Not available. Conclusion/Summary General	ect : :	Not available. No known significant effect	s or critical hazards		
Potential chronic health effe Not available. Conclusion/Summary General Carcinogenicity	ect : : :	Not available. No known significant effect No known significant effect	s or critical hazards s or critical hazards		

Code : P998-8981/E1

Date of issue/Date of revision

: 2 December 2024

AQUABASE PLUS COARSE SILVER DOLLAR AL.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2-butoxyethanol	Acute LC50 1474 mg/l	Fish	96 hours
	Chronic NOEC >100 mg/l	Fish	21 days
1-methoxy-2-propanol	Acute LC50 23300 mg/l	Daphnia - Daphnia	48 hours
	Acute LC50 >4500 mg/l Fresh water	Fish - Goldfish	96 hours

Conclusion/Summary

: Not available.

## 12.2 Persistence and degradability

Conclusion/Summary : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2-butoxyethanol	-	-	Readily

## **12.3 Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
2-butoxyethanol	0.81	-	Low
1-methoxy-2-propanol	<1	-	Low

## 12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **12.6 Other adverse effects** : No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## **13.1 Waste treatment methods**

<u>Pro</u>	duo	<u>:t</u>	

Methods of disposal: The generation of waste should be avoided or minimised wherever possible.<br/>Disposal of this product, solutions and any by-products should at all times comply<br/>with the requirements of environmental protection and waste disposal legislation<br/>and any regional local authority requirements. Dispose of surplus and non-<br/>recyclable products via a licensed waste disposal contractor. Waste should not be<br/>disposed of untreated to the sewer unless fully compliant with the requirements of<br/>all authorities with jurisdiction.

## Hazardous waste

Waste catalogue

Waste code	Waste designation
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
Dookoging	

#### Packaging

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Code	: P998-8981/E1	Date of issue/Date of revision	: 2 December 2024
AQUABASE	PLUS COARSE SILVER DOLLAR AL.		

## **SECTION 13: Disposal considerations**

	Type of packaging		Waste catalogue
	Container	15 01 02	plastic packaging
Special precautions		or liners ma	al and its container must be disposed of in a safe way. Empty containers by retain some product residues. Avoid dispersal of spilt material and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	9003	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	SUBSTANCES WITH A FLASH-POINT ABOVE 60 °C AND NOT MORE THAN 100 °C	-	-
		(2-butoxyethanol, Aluminium powder (stabilized))		
14.3 Transport hazard class(es)	-	9	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	Not applicable.

: The product is only regulated as a dangerous good when transported in tank vessels.

: None identified.

IATA : None identified.

**ADN** 

IMDG

**14.6 Special precautions for : Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	: Not available.
according to IMO	
instruments	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>UK (GB)/REACH</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

### Substances of very high concern

None of the components are listed.

Explosive precursors

: This product is regulated by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

### Ozone depleting substances

English (GB)

United Kingdom (UK)

Code	: P998-8981/E1	Date of issue/Date of revision	: 2 December 2024
AOUABASE	PLUS COARSE SILVER DOLLAR AL		

## **SECTION 15: Regulatory information**

### Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

No listed substance

### Seveso Directive

This product is not controlled under the Seveso Directive.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = GB CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number</li> </ul>
	SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative

## Procedure used to derive the classification

Not classified.

### Full text of abbreviated H statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.

## Full text of classifications

Acute Tox. 3	ACUTE TOXICITY - Category 3	
Acute Tox. 4	ACUTE TOXICITY - Category 4	
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2	
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 3	
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2	
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3	
Ll'atam.		
<u>History</u>		

Date of issue/ Date of revision	: 2 December 2024
Date of previous issue	: 27 November 2024
Prepared by	: EHS
Version	: 1.06

## <u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.