

SAFETY DATA SHEET



Date of issue/Date of revision : 2 December 2024 Version : 1.05

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : AQUABASE PLUS MEDIUM COARSE ALUMINIUM  
Product code : P998-8992/E2  
Product type : Liquid.  
Other means of identification : Not available.

EPH-G4R7-V00M-9SFK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Professional applications, Used by spraying.  
Use of the substance/ mixture : Coating.  
Uses advised against : Product is not intended, labelled or packaged for consumer use.

1.3 Details of the supplier of the safety data sheet

PPG Industries (UK) Ltd. Needham Road, Stowmarket, Suffolk, IP14 2AD, UK Tel: +44 (0) 1449 773 338  
PPG Industries Italia S.r.l., Via Comasina, 121, 20161 Milano, Italy Tel: +39 02 6404.1

e-mail address of person responsible for this SDS : Product.Stewardship.EMEA@ppg.com

1.4 Emergency telephone number

Supplier

- Company emergency telephone number : +44 (0) 1449 773 338 ( 0900-1600)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture  
Classification according to UK CLP/GHS  
Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.  
See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.  
Hazard statements : No known significant effects or critical hazards.  
Precautionary statements  
Prevention : Not applicable.  
Response : Not applicable.  
Storage : Not applicable.  
Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
P501  
Supplemental label elements : Safety data sheet available on request.

|                                       |                |                                |                   |
|---------------------------------------|----------------|--------------------------------|-------------------|
| Code                                  | : P998-8992/E2 | Date of issue/Date of revision | : 2 December 2024 |
| AQUABASE PLUS MEDIUM COARSE ALUMINIUM |                |                                |                   |

SECTION 2: Hazards identification

|  |   |
|--|---|
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicable.   |
| Special packaging requirements   |   |
| Containers to be fitted with child-resistant fastenings  | : Not applicable.   |
| Tactile warning of danger  | : Not applicable.   |
| 2.3 Other hazards  |   |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII                                  | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| Other hazards which do not result in classification  | : None known.   |

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

| Product/ingredient name | Identifiers   | %          | Classification   | Type    |
|-------------------------|---|------------|--|---------|
| 2-butoxyethanol         | REACH #:<br>01-2119475108-36<br>EC: 203-905-0<br>CAS: 111-76-2<br>Index: 603-014-00-0 | ≥5.0 - <10 | Acute Tox. 4, H302<br>Acute Tox. 3, H331<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br><br><b>See Section 16 for<br/>the full text of the H<br/>statements declared<br/>above.</b> | [1] [2] |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type  
[1] Substance classified with a health or environmental hazard  
[2] Substance with a workplace exposure limit  
Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

|                                       |  |
|---------------------------------------|--|
| 4.1 Description of first aid measures |  |
| Eye contact                           | : Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.  |
| Inhalation                            | : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. |
| Skin contact                          | : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.   |
| Ingestion                             | : If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.   |
| Protection of first-aiders            | : No action shall be taken involving any personal risk or without suitable training.   |

4.2 Most important symptoms and effects, both acute and delayed

|                                       |                |                                |                   |
|---------------------------------------|----------------|--------------------------------|-------------------|
| Code                                  | : P998-8992/E2 | Date of issue/Date of revision | : 2 December 2024 |
| AQUABASE PLUS MEDIUM COARSE ALUMINIUM |                |                                |                   |

SECTION 4: First aid measures

Potential acute health effects

- Eye contact : No known significant effects or critical hazards.
- Inhalation : No known significant effects or critical hazards.
- Skin contact : No known significant effects or critical hazards.
- Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact : No specific data.
- Inhalation : No specific data.
- Skin contact : No specific data.
- Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous combustion products : Decomposition products may include the following materials:  
carbon oxides  
metal oxide/oxides

5.3 Advice for firefighters

- Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to British standard BS EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
- For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

- : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

|  |   |
|--|---|
| <b>Code</b> : P998-8992/E2                   | <b>Date of issue/Date of revision</b> : 2 December 2024 |
| <b>AQUABASE PLUS MEDIUM COARSE ALUMINIUM</b> |   |

## SECTION 6: Accidental release measures

### 6.3 Methods and material for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### 6.4 Reference to other sections

- : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).  
Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be stored in purpose-built containers or in metal containers with tight-fitting, self-closing lids. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

See Section 1.2 for Identified uses.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### Occupational exposure limits

|  |                       |                                       |                          |
|--|-----------------------|---------------------------------------|--------------------------|
| <b>Code</b>                                  | <b>: P998-8992/E2</b> | <b>Date of issue/Date of revision</b> | <b>: 2 December 2024</b> |
| <b>AQUABASE PLUS MEDIUM COARSE ALUMINIUM</b> |                       |                                       |                          |

**SECTION 8: Exposure controls/personal protection**

| Product/ingredient name | Exposure limit values  |
|-------------------------|--|
| 2-butoxyethanol         | <b>EH40/2005 WELs (United Kingdom (UK), 1/2020)</b> Absorbed through skin.<br>STEL 15 minutes: 50 ppm.<br>TWA 8 hours: 25 ppm.<br>STEL 15 minutes: 246 mg/m³.<br>TWA 8 hours: 123 mg/m³. |

**Biological exposure indices**

| Product/ingredient name | Exposure indices  |
|-------------------------|---|
| 2-butoxyethanol         | <b>EH40/2005 BMGVs (United Kingdom (UK), 8/2018)</b><br>BGV: 240 mmol/mol creatinine, butoxyacetic acid [in urine].<br>Sampling time: post shift. |

**Recommended monitoring procedures** : Reference should be made to monitoring standards, such as the following: British Standard BS EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) British Standard BS EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) British Standard BS EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

**DNELs/DMELs**

| Product/ingredient name | Type | Exposure              | Value             | Population         | Effects  |
|-------------------------|------|-----------------------|-------------------|--------------------|----------|
| 2-butoxyethanol         | DNEL | Long term Oral        | 6.3 mg/kg bw/day  | General population | Systemic |
|                         | DNEL | Short term Oral       | 26.7 mg/kg bw/day | General population | Systemic |
|                         | DNEL | Long term Inhalation  | 59 mg/m³          | General population | Systemic |
|                         | DNEL | Long term Inhalation  | 98 mg/m³          | Workers            | Systemic |
|                         | DNEL | Short term Inhalation | 147 mg/m³         | General population | Local    |
|                         | DNEL | Short term Inhalation | 246 mg/m³         | Workers            | Local    |
|                         | DNEL | Short term Inhalation | 426 mg/m³         | General population | Systemic |
|                         | DNEL | Short term Inhalation | 1091 mg/m³        | Workers            | Systemic |

**PNECs**

| Product/ingredient name | Compartment Detail     | Value      | Method Detail            |
|-------------------------|------------------------|------------|--------------------------|
| 2-butoxyethanol         | Fresh water            | 8.8 mg/l   | Assessment Factors       |
|                         | Marine water           | 0.88 mg/l  | Assessment Factors       |
|                         | Fresh water sediment   | 34.6 mg/kg | Equilibrium Partitioning |
|                         | Marine water sediment  | 3.46 mg/kg | Equilibrium Partitioning |
|                         | Soil                   | 3.13 mg/kg | Equilibrium Partitioning |
|                         | Sewage Treatment Plant | 463 mg/l   | Assessment Factors       |

**8.2 Exposure controls**

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Individual protection measures**
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety glasses with side shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

|                                       |                |                                |                   |
|---------------------------------------|----------------|--------------------------------|-------------------|
| Code                                  | : P998-8992/E2 | Date of issue/Date of revision | : 2 December 2024 |
| AQUABASE PLUS MEDIUM COARSE ALUMINIUM |                |                                |                   |

SECTION 8: Exposure controls/personal protection

|                                 |  |
|---------------------------------|--|
| Gloves                          | : For prolonged or repeated handling, use the following type of gloves:<br><br>Recommended: butyl rubber   |
| Body protection                 | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.  |
| Other skin protection           | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.  |
| Respiratory protection          | : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Wear a respirator conforming to EN140. Filter type: organic vapour (Type A) and particulate filter P3 |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.   |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

Physical state

Colour

Odour

Odour threshold

Melting point/freezing point

Initial boiling point and boiling range

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flash point

Auto-ignition temperature

: Liquid.

: Grey.

: Faint odour.

: Not available.

:

: >37.78°C (>100°F)

: liquid

: Not available.

: Closed cup: 100°C (212°F) [Product does not sustain combustion.]

:

| Ingredient name | °C  | °F  | Method    |
|-----------------|-----|-----|-----------|
| 2-butoxyethanol | 230 | 446 | DIN 51794 |

pH

Viscosity

Solubility(ies)

: 8

: Dynamic (room temperature): Not available.

: Kinematic (room temperature): Not available.

: Kinematic (40°C): >21 mm²/s

:

| Media      | Result            |
|------------|-------------------|
| cold water | Partially soluble |

Miscible with water

Partition coefficient: n-octanol/ water

Vapour pressure

: Yes.

: Not applicable.

:



| Ingredient name | Vapour Pressure at 20°C |     |        | Vapour pressure at 50°C |     |        |
|-----------------|-------------------------|-----|--------|-------------------------|-----|--------|
|                 | mm Hg                   | kPa | Method | mm Hg                   | kPa | Method |
| water           | 17.5                    | 2.3 |        |                         |     |        |

## SECTION 10: Stability and reactivity

## SECTION 11: Toxicological information

| Product/ingredient name | Result                 | Species | Dose        | Exposure |
|-------------------------|------------------------|---------|-------------|----------|
| 2-butoxyethanol         | LC50 Inhalation Vapour | Rat     | 3 mg/l      | 4 hours  |
|                         | LD50 Dermal            | Rat     | >2000 mg/kg | -        |
|                         | LD50 Oral              | Rat     | 1200 mg/kg  | -        |

| Product/ingredient name               | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---------------------------------------|--------------|----------------|--------------------------|-----------------------------|-------------------------------------|
| AQUABASE PLUS MEDIUM COARSE ALUMINIUM | 12626.6      | N/A            | 314140.4                 | 30.7                        | N/A                                 |
| 2-butoxyethanol                       | 1200         | N/A            | N/A                      | 3                           | N/A                                 |

| Product/ingredient name | Result                   | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|----------|-------------|
| 2-butoxyethanol         | Eyes - Irritant          | Rabbit  | -     | 24 hours | 21 days     |
|                         | Skin - Moderate irritant | Rabbit  | -     | 4 hours  | 28 days     |

|              |                     |      |
|--------------|---------------------|------|
| English (GB) | United Kingdom (UK) | 7/11 |
|--------------|---------------------|------|

|   |   |  |                |                   |  |
|---|---|--|----------------|-------------------|--|
| Code : P998-8992/E2   |   | Date of issue/Date of revision                     |                | : 2 December 2024 |  |
| AQUABASE PLUS MEDIUM COARSE ALUMINIUM   |   |  |                |                   |  |
| SECTION 11: Toxicological information   |   |  |                |                   |  |
| Eyes  | : | There are no data available on the mixture itself. |                |                   |  |
| Respiratory   | : | There are no data available on the mixture itself. |                |                   |  |
| <u>Sensitisation</u>  |   |  |                |                   |  |
| Conclusion/Summary  |   |  |                |                   |  |
| Skin  | : | There are no data available on the mixture itself. |                |                   |  |
| Respiratory   | : | There are no data available on the mixture itself. |                |                   |  |
| <u>Mutagenicity</u>   |   |  |                |                   |  |
| Conclusion/Summary  | : | There are no data available on the mixture itself. |                |                   |  |
| <u>Carcinogenicity</u>  |   |  |                |                   |  |
| Conclusion/Summary  | : | There are no data available on the mixture itself. |                |                   |  |
| <u>Reproductive toxicity</u>  |   |  |                |                   |  |
| Conclusion/Summary  | : | There are no data available on the mixture itself. |                |                   |  |
| <u>Teratogenicity</u>   |   |  |                |                   |  |
| Conclusion/Summary  | : | There are no data available on the mixture itself. |                |                   |  |
| <u>Specific target organ toxicity (single exposure)</u>   |   |  |                |                   |  |
| Not available.  |   |  |                |                   |  |
| <u>Specific target organ toxicity (repeated exposure)</u>   |   |  |                |                   |  |
| Not available.  |   |  |                |                   |  |
| <u>Aspiration hazard</u>  |   |  |                |                   |  |
| Not available.  |   |  |                |                   |  |
| Information on likely routes of exposure  |   | :  | Not available. |                   |  |
| <u>Potential acute health effects</u>   |   |  |                |                   |  |
| Eye contact   | : | No known significant effects or critical hazards.  |                |                   |  |
| Inhalation  | : | No known significant effects or critical hazards.  |                |                   |  |
| Skin contact  | : | No known significant effects or critical hazards.  |                |                   |  |
| Ingestion   | : | No known significant effects or critical hazards.  |                |                   |  |
| <u>Symptoms related to the physical, chemical and toxicological characteristics</u>               |   |  |                |                   |  |
| Eye contact   | : | No specific data.                                  |                |                   |  |
| Inhalation  | : | No specific data.                                  |                |                   |  |
| Skin contact  | : | No specific data.                                  |                |                   |  |
| Ingestion   | : | No specific data.                                  |                |                   |  |
| <u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u> |   |  |                |                   |  |
| <u>Short term exposure</u>  |   |  |                |                   |  |
| Potential immediate effects   | : | Not available.                                     |                |                   |  |
| Potential delayed effects   | : | Not available.                                     |                |                   |  |
| <u>Long term exposure</u>   |   |  |                |                   |  |
| Potential immediate effects   | : | Not available.                                     |                |                   |  |
| Potential delayed effects   | : | Not available.                                     |                |                   |  |
| <u>Potential chronic health effects</u>   |   |  |                |                   |  |
| Not available.  |   |  |                |                   |  |
| Conclusion/Summary  | : | Not available.                                     |                |                   |  |
| General   | : | No known significant effects or critical hazards.  |                |                   |  |
| English (GB)  |   | United Kingdom (UK)                                |                | 8/11              |  |



|                                       |                |                                |                   |
|---------------------------------------|----------------|--------------------------------|-------------------|
| Code                                  | : P998-8992/E2 | Date of issue/Date of revision | : 2 December 2024 |
| AQUABASE PLUS MEDIUM COARSE ALUMINIUM |                |                                |                   |

SECTION 11: Toxicological information

|                       |   |
|-----------------------|---|
| Carcinogenicity       | : No known significant effects or critical hazards. |
| Mutagenicity          | : No known significant effects or critical hazards. |
| Reproductive toxicity | : No known significant effects or critical hazards. |

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result   | Species      | Exposure            |
|-------------------------|--|--------------|---------------------|
| 2-butoxyethanol         | Acute LC50 1474 mg/l<br>Chronic NOEC >100 mg/l | Fish<br>Fish | 96 hours<br>21 days |

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|-------------------------|-------------------|------------|------------------|
| 2-butoxyethanol         | -                 | -          | Readily          |

12.3 Bioaccumulative potential

| Product/ingredient name | LogP <sub>ow</sub> | BCF | Potential |
|-------------------------|--------------------|-----|-----------|
| 2-butoxyethanol         | 0.81               | -   | Low       |

12.4 Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

|                     |   |
|---------------------|---|
| Product             |   |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |

Hazardous waste

Waste catalogue

| Waste code | Waste designation   |
|------------|---|
| 08 01 11*  | waste paint and varnish containing organic solvents or other hazardous substances |

|                                       |                |                                |                   |
|---------------------------------------|----------------|--------------------------------|-------------------|
| Code                                  | : P998-8992/E2 | Date of issue/Date of revision | : 2 December 2024 |
| AQUABASE PLUS MEDIUM COARSE ALUMINIUM |                |                                |                   |

SECTION 13: Disposal considerations

|                     |   |
|---------------------|---|
| Packaging           |   |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.                                  |
| Type of packaging   | Waste catalogue   |
| Container           | 15 01 02 plastic packaging  |
| Special precautions | : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: Transport information

|                                 |                 |  |                 |                 |
|---------------------------------|-----------------|--|-----------------|-----------------|
|                                 | ADR/RID         | ADN  | IMDG            | IATA            |
| 14.1 UN number                  | Not regulated.  | 9003   | Not regulated.  | Not regulated.  |
| 14.2 UN proper shipping name    | -               | SUBSTANCES WITH A FLASH-POINT ABOVE 60 °C AND NOT MORE THAN 100 °C<br>(2-butoxyethanol, Aluminium powder (stabilized)) | -               | -               |
| 14.3 Transport hazard class(es) | -               | 9  | -               | -               |
| 14.4 Packing group              | -               | -  | -               | -               |
| 14.5 Environmental hazards      | No.             | No.  | No.             | No.             |
| Marine pollutant substances     | Not applicable. | Not applicable.  | Not applicable. | Not applicable. |

|         |   |
|---------|---|
| ADR/RID | : None identified.  |
| ADN     | : The product is only regulated as a dangerous good when transported in tank vessels. |
| IMDG    | : None identified.  |
| IATA    | : None identified.  |

|                                   |   |
|-----------------------------------|---|
| 14.6 Special precautions for user | : <b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. |
|-----------------------------------|---|

|   |                  |
|---|------------------|
| 14.7 Transport in bulk according to IMO instruments | : Not available. |
|---|------------------|

SECTION 15: Regulatory information

|   |
|---|
| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture |
| UK (GB)/REACH   |
| Annex XIV - List of substances subject to authorisation   |
| Annex XIV   |
| None of the components are listed.  |
| Substances of very high concern   |

|                                       |                |                                |                   |
|---------------------------------------|----------------|--------------------------------|-------------------|
| Code                                  | : P998-8992/E2 | Date of issue/Date of revision | : 2 December 2024 |
| AQUABASE PLUS MEDIUM COARSE ALUMINIUM |                |                                |                   |

SECTION 15: Regulatory information

None of the components are listed.

**Explosive precursors** : This product is regulated by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Ozone depleting substances

Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

No listed substance

Seveso Directive

This product is not controlled under the Seveso Directive.

SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EUH statement = GB CLP-specific Hazard statement  
N/A = Not available  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RRN = REACH Registration Number  
SGG = Segregation Group  
vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

|      |                                |
|------|--------------------------------|
| H302 | Harmful if swallowed.          |
| H315 | Causes skin irritation.        |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled.              |

Full text of classifications

|               |  |
|---------------|--|
| Acute Tox. 3  | ACUTE TOXICITY - Category 3                    |
| Acute Tox. 4  | ACUTE TOXICITY - Category 4                    |
| Eye Irrit. 2  | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 |
| Skin Irrit. 2 | SKIN CORROSION/IRRITATION - Category 2         |

History

**Date of issue/ Date of revision** : 2 December 2024  
**Date of previous issue** : 28 November 2024  
**Prepared by** : EHS  
**Version** : 1.05

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.