Printing:	: 20/06/2024 Date of compilation: 10/10/2018 Revised: 16/02/2022 Version: 5 (Replaced 4)						
SECT	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING						
1.1	Product identifier: T2 ANTIHOLOGRAM & MICROSCRATCH REMOVER						
	Other means of identification:						
	Not relevant						
1.2	Relevant identified uses of the substance or mixture and uses advised against:						
	Relevant uses: Car repair; polishing paste. For professional users only.						
	Uses advised against: All uses not specified in this section or in section 7.3						
1.3	Details of the supplier of the safety data sheet:						
1.4	Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu Emergency telephone number: (8am-4pm)+48 094 35 123 94; 112						
1.4							
SECT	TION 2: HAZARDS IDENTIFICATION **						
2.1	Classification of the substance or mixture:						
	CLP Regulation (EC) No 1272/2008:						
	The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.						
2.2	Label elements:						
	CLP Regulation (EC) No 1272/2008:						
	Hazard statements: Not relevant						
	Precautionary statements:						
	P280: Wear protective gloves/eye protection/face protection. P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.						
	Supplementary information:						
2.3	EUH066: Repeated exposure may cause skin dryness or cracking. EUH210: Safety data sheet available on request. Other hazards:						
2.5							
	Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.						
** Chan	nges with regards to the previous version						
SECT	TION 3: COMPOSITION/INFORMATION ON INGREDIENTS **						

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:



	Identification		Chemical name/Classification	Co	ncentration
CAS:	64742-47-8	Distillates (petroleu	n), hydrotreated light ⁽¹⁾	ATP CLP00	
EC: Index: REACH	265-149-8 649-422-00-2 : 01-2119484819-18- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304 - Danger	* 10	0 - <25 %
CAS: EC:	66455-14-9 500-165-3	Alcohols, C12-13, et	hoxylated ⁽¹⁾	Self-classified	
Index:	Non-applicable : 01-2119488045-35- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Warning	1	- <2,5 %

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

iting:	20/06/2024	Date of compilation: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)					
SECT	TON 5: FIREFI	IGHTING MEASURES (continued)							
		um emergency facilities and equipment s 89/654/EC.		hing and self-contained breathing apparatus ets, portable first aid kit,) in accordance					
	emergencies. E	plosion or BLEVE as a result of high temp	f fire, cool the storage contain	tions to take after an accident or other ers and tanks for products susceptible to e products used to extinguish the fire into an					
SECT	ION 6: ACCID	ENTAL RELEASE MEASURES							
6.1	Personal prec	cautions, protective equipment and e	emergency procedures:						
	For non-emergency personnel:								
	Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection. For emergency responders:								
	Wear protective equipment. Keep unprotected persons away. See section 8.								
6.2	Environmental precautions:								
		ded to avoid environmental spillage of bo	oth the product and its contair	ner.					
6.3	Methods and material for containment and cleaning up:								
	It is recommended:								
	Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.								
6.4	Reference to	other sections:							
	See sections 8	and 13.							
SECT	ION 7: HANDI	LING AND STORAGE							
7.1	Precautions f	or safe handling:							
		ecautions for safe use							
	Maintain or	h the current legislation concerning the p der, cleanliness and dispose of using safe ecommendations for the prevention of fire	methods (section 6).	ith regards manually handling weights.					
	Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.								
		ecommendations on general occupational							
		or drink during the process, washing han		eaning products.					
		ecommendations to prevent environment		product (Soo subsoction 6 2)					
7 7		nended to have absorbent material availa		broduct (See Subsection 6.3)					
7.2		r safe storage, including any incomp							
	A Specific stor	rage requirements							

۰	specific storage requireme	ints
	Minimum Temp.:	0 °C
	Maximum Temp.:	45 °C
	Maximum time:	24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

Specific end use(s): 7.3



Product safety information sheet according to REACH (article 32)

T2 ANTIHOLOGRAM & MICROSCRATCH REMOVER

				-			
rinting:	20/06/2024	Date of compilation: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)			
SECT	TION 7: HANDLING	AND STORAGE (continued)					
	Except for the instru product.	ctions already specified it is not nece	essary to provide any special r	recommendation regarding the uses of this			
SECT	FION 8: EXPOSURE	CONTROLS/PERSONAL PROTE	ECTION				
8.1	Control paramete	rs:					
	Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):						
	There are no applicable occupational exposure limits for the substances contained in the product						
	DNEL (Workers):						
	Not relevant						
	DNEL (General population):						
	Not relevant						
	PNEC:						
	Not relevant						
8.2	Exposure controls	:					
	A Individual protect	tion measures, such as personal pro	tective equipment				
	marking>> in ac	cordance with Regulation (EU) 2016,	/425. For more information or	ipment, with the corresponding < <ce n Personal Protective Equipment (storage, provided by the manufacturer. For more</ce 			

The Breakthrough Time indicated by the NON-disposable chemical EN ISO 374-1:2016+A1:2018 manufacturer must exceed the period during which protective gloves (Material: EN 16523-1:2015+A1:2018 the product is being used. Do not use protective Nitrile, Breakthrough time: > EN ISO 21420:2020 creams after the product has come into contact

CEN Standard

Remarks

with skin.

information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

Labelling

CAT III

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

B.- Respiratory protection

Pictogram

Mandatory hand

protection

C.- Specific protection for the hands

PPE

480 min, Thickness: 0.4 mm)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Not relevant

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	◎ + -	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

rinting:	20/06/2024 Date of compilation	n: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)				
SECT	TON 8: EXPOSURE CONTROLS/P	Ersonal pro	TECTION (continued)					
	Volatile organic compounds:							
	With regard to Directive 2010/75/EU,	this product has	the following characteristics:					
	V.O.C. (Supply):	12 % weight						
	V.O.C. density at 20 °C:	115,8 kg/m³	(115,8 g/L)					
	Average carbon number:	12						
	Average molecular weight:	170 g/mol						
SECT	ION 9: PHYSICAL AND CHEMICA	L PROPERTIES	;					
9.1	Information on basic physical and chemical properties:							
	For complete information see the pro	duct datasheet.						
	Appearance:							
	Physical state at 20 °C:		Liquid					
	Appearance:		Viscous					
	Colour:		White					
	Odour:		Characteristic					
	Odour threshold:		Not relevant *					
	Volatility:							
	Boiling point at atmospheric pressure	:	111 °C					
	Vapour pressure at 20 °C:		2301 Pa					
	Vapour pressure at 50 °C:		12123,19 Pa (12,12 kPa)					
	Evaporation rate at 20 °C:		Not relevant *					
	Product description:							
	Density at 20 °C:		965 kg/m³					
	Relative density at 20 °C:		965					
	Dynamic viscosity at 20 °C:		~25000 cP					
	Kinematic viscosity at 20 °C:		Not relevant *					
	Kinematic viscosity at 40 °C:		>20,5 mm²/s					
	Concentration:		Not relevant *					
	pH:		8					
	Vapour density at 20 °C:		Not relevant *					
	Partition coefficient n-octanol/water 2	20 °C:	Not relevant *					
	Solubility in water at 20 °C:		Not relevant *					
	Solubility properties:		Not relevant *					
	Decomposition temperature:		Not relevant *					
	Melting point/freezing point:		Not relevant *					
	Flammability:							
	Flash Point:		Non Flammable (>60 °C)					
	Flammability (solid, gas):		Not relevant *					
	Autoignition temperature:		Not relevant *					
	Lower flammability limit:		Not relevant *					
	Upper flammability limit:		Not relevant *					
	Particle characteristics:							
	Median equivalent diameter:		Non-applicable					
	*Not relevant due to the nature of the produ	ct not providing info						

Printing:	20/06/2024	Date of compilation: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)
SECT	TON 9: PHYSICA	L AND CHEMICAL PROPERTIES	(continued)	
9.2	Other information	on:		
	Information wit	h regard to physical hazard classe	es:	
	Explosive propertie	es:	Not relevant *	
	Oxidising propertie	es:	Not relevant *	
	Corrosive to metal	s:	Not relevant *	
	Heat of combustio	n:	Not relevant *	
	Aerosols-total pero components: Other safety cha	centage (by mass) of flammable	Not relevant *	
	Surface tension at	20 °C:	Not relevant *	
	Refraction index:		Not relevant *	
	*Not relevant due to	the nature of the product, not providing inform	nation property of its hazards.	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

** Changes with regards to the previous version

20/06/2024	Date of compilation: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)	
FION 11: TOXI	COLOGICAL INFORMATION ** (co	ntinued)		
as hazardou - Corrosivi classified as	kicity : Based on available data, the class is for inhalation. For more information set ty/Irritability: Based on available data, the hazardous for this effect. For more inform in the skin and the eyes (acute effect):	e section 3. e classification criteria are not n		
classified as - Contact v classified as	with the skin: Based on available data, the hazardous for skin contact. For more info with the eyes: Based on available data, th hazardous for this effect. For more inform (carcinogenicity, mutagenicity and toxici	ormation see section 3. e classification criteria are not r nation see section 3.		
as hazardou - Mutagen hazardous f - Reprodue	enicity: Based on available data, the class is for the effects mentioned. For more infi icity: Based on available data, the classific or this effect. For more information see so ctive toxicity: Based on available data, the hazardous for this effect. For more inform effects:	ormation see section 3. cation criteria are not met, as it ection 3. e classification criteria are not m	does not contain substand	ces classified a
hazardous v - Skin: Bas hazardous f	ory: Based on available data, the classificativith sensitising effects. For more informatives on available data, the classification critication of this effect. For more information see segut organ toxicity (STOT) - single exposure	ion see section 3. iteria are not met, as it does no ection 3.		
Based on av this effect. I	vailable data, the classification criteria are For more information see section 3. get organ toxicity (STOT)-repeated expose	not met, as it does not contain	substances classified as h	azardous for
it does not o	arget organ toxicity (STOT)-repeated exp contain substances classified as hazardou beated exposure may cause skin dryness azard:	s for this effect. For more inforr		are not met, a
	vailable data, the classification criteria are ct. For more information see section 3.	not met. However, it does con	tain substances classified a	as hazardous
Not relevant				
Specific toxic	ology information on the substances	:		
	Identification		Acute toxicity	Genus
Distillates (petrole	um), hydrotreated light	LD50 oral	>2000 mg/kg	
CAS: 64742-47-8		LD50 dermal	>2000 mg/kg	
EC: 265-149-8		LC50 inhalation	>20 mg/L	
EC. 205-149-0				
Alcohols, C12-13,	ethoxylated	LD50 oral	>2000 mg/kg	
	ethoxylated	LD50 oral LD50 dermal	>2000 mg/kg >2000 mg/kg	

ATE mix		Ingredient(s) of unknown toxicity		
Oral	>2000 mg/kg (Calculation method)	Non-applicable		
Dermal	>2000 mg/kg (Calculation method)	Non-applicable		
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable		

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

** Changes with regards to the previous version



Revised: 16/02/2022

Version: 5 (Replaced 4)

Date of compilation: 10/10/2018

SECT	ION 12: ECOLOGICAL INFORMATION **								
The experimental information related to the eco-toxicological properties of the product itself is not available Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. 12.1 Toxicity:									
	Acute toxicity:								
	Identification	Concentration		Speci	Species				
	Alcohols, C12-13, ethoxylated	12-13, ethoxylated LC50 Not relevant							
	CAS: 66455-14-9	EC50	Not relevant						
		EC50	0,282 mg/L (72 h)	Pseudokirchneriel	la subcapitata	Algae			
12.2	Persistence and degradability:								
	Not available								
12.3	Bioaccumulative potential:								
	Substance-specific information:								
	Identification		Bioaccumulation potential						
	Distillates (petroleum), hydrotreated light			BCF	F 130				
	CAS: 64742-47-8			Pow Log	3.3				
	EC: 265-149-8			Potential	l High				
12.4	Mobility in soil:								
	Not available								
12.5	Results of PBT and vPvB assessment:								
	Product does not meet PBT/vPvB criteria								
12.6	Endocrine disrupting properties:								
	Endocrine-disrupting properties: The product does not meet the criteria.								
12.7									
	Not described								
	Not described								

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	waste paint and varnish containing organic solvents or other hazardous substances packaging containing residues of or contaminated by hazardous substances	Non-hazardous

Type of waste (Regulation (EU) No 1357/2014):

Not relevant

Printing: 20/06/2024

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)



Printing: 20/06/2024 Date of compilation: 10/10/2018 Revised: 16/02/2022 Version: 5 (Replaced 4)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant

- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant

- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant

- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant

- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Not relevant

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

New declared substances

Distillates (petroleum), hydrotreated light (64742-47-8)

Alcohols, C12-13, ethoxylated (66455-14-9)

· Removed substances

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 (64742-55-8)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Precautionary statements

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Classification procedure:

Not relevant

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms:



Printing: 20/06/2024	Date of compilation: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)	
SECTION 16: OTHE	ER INFORMATION (continued)			
IMDG: Internat IATA: Internation ICAO: Internation COD: Chemical BOD5: 5day bion BCF: Bioconcen LD50: Lethal Do LC50: Lethal Co EC50: Effective LogPOW: Octar Koc: Partition co UFI: unique for	ose 50 oncentration 50 concentration 50 nolwater partition coefficient oefficient of organic carbon	carriage of dangerous goods	by road	

Product safety information sheet prepared in accordance with Article 32 of Regulation (EC) 1907/2006 (REACH) this document does not constitute a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006, as a Safety Data Sheet is not mandatory for this product. The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy.